

MATERIAL SAFETY DATA SHEET

EverWhite 932 Epoxy - Part B

HMIS

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	G

1. Product And Company Identification

Supplier

C-CURE
13001 SEAL BEACH BLVD.
SEAL BEACH, CA 90740 USA

Company Contact: GEORGE MARCINA
Telephone Number: 562 968 2980 Ext 103
FAX Number: 562 903 2697
E-Mail: georgem@cbpmail.net
Web Site: WWW.C-CURE.COM

Manufacturer

C-CURE
13001 SEAL BEACH BLVD.
SEAL BEACH, CA 90740 USA

Company Contact: GEORGE MARCINA
Telephone Number: 562 968 2980 Ext 103
FAX Number: 562 903 2697
E-Mail: georgem@cbpmail.net
Web Site: WWW.C-CURE.COM

Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: 562 968 2980 Ext 103

Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: 562 968 2980 Ext 103

Issue Date: 03/29/2006

Product Name: EverWhite 932 Epoxy - Part B
Chemical Name: 4F7643
CAS Number: Not Established
Chemical Family: EPOXY RESIN
Chemical Formula: MIXTURE
MSDS Number: 595

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
ALKYL (C12-C16) GLYCIDIL ETHER	68609-97-2	15 - 25
EPOXYRESIN	25068-38-6	75 - 85
SILICA, AMORPHOUS	7631-86-9	1 - 5

3. Hazards Identification

Primary Routes(s) Of Entry

SKIN, EYES AND NOSE.

Eye Hazards

MILD EYE IRRITANT. CONTACT WITH EYES CAUSES IRRITATION AND DISCOMFORT.

Skin Hazards

MODERATE SKIN IRRITANT. CONTACT WITH SKIN CAUSES IRRITATION, REDNESS, DISCOMFORT, WHICH IS TRANSIENT. REPEATED OR PROLONGED CONTACT MAY CAUSE ALLERGIC REACTIONS / SENSITIZATION.

Ingestion Hazards

INGESTION MAY CAUSE DIGESTIVE TRACT IRRITATION, HEADACHE AND NAUSEA.

MATERIAL SAFETY DATA SHEET

EverWhite 932 Epoxy - Part B

3. Hazards Identification - Continued

Inhalation Hazards

MILD RESPIRATORY TRACT IRRITANT. MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT. COUGHING AND CHEST PAIN MAY RESULT. PROLONGED OR REPEATED EXPOSURE MAY CAUSE EYE IRRITATION, HEADACHE, SORE THROAT.

Chronic/Carcinogenicity Effects

CONTAINS AMORPHOUS SILICA, WHICH IS LISTED IN IARC MONOGRAPH.

Conditions Aggravated By Exposure

ASTHMA, SKIN DISORDERS AND ALLERGIC CONDITIONS.

4. First Aid Measures

Eye

IMMEDIATELY FLUSH WITH RUNNING WATER FOR 15 MIN. HOLD EYELIDS APART TO INSURE RINSING OF ENTIRE EYE SURFACE AND LID WITH WATER. GET IMMEDIATE MEDICAL ATTENTION.

Skin

IMMEDIATELY WIPE OFF EXCESS MATERIAL WITH A DRY TOWEL. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH AFFECTED AREAS THOROUGHLY WITH LARGE AMOUNTS OF SOAP AND WATER FOR AT LEAST 15 MINUTES.

Ingestion

SEEK IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. REMOVE STOMACH CONTENTS BY GSTRIC SUCTION OR INDUCE VOMITING ONLY AS DIRECTED BY A PHYSISCIAN.

Inhalation

MOVE PERSON TO FRESH AIR. SEEK MEDICAL ATTENTION.

5. Fire Fighting Measures

Flash Point: > 212 °F 100 °C

Flash Point Method: CLOSED CUP

Flammability Class: COMBUSTIBEL LIQUID CLASS IIIB

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Fire And Explosion Hazards

DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE IRRITATING OR TOXIC.

Extinguishing Media

FOAM, CO2, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Instructions

USE SELF CONTAINED BREATHING APPARATUS.

COMBUSTION OR DECOMPOSITION PRODUCTS MAY BE TOXIC.

6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, SHUT OFF ALL SOURCESS OF IGNITION. AVOID ALL PERSONAL CONTACT. SOAK UP IN ABSORBENT MATERIAL AND SHOVEL INTO A CLOSABLE CONTAINER. AVOID INHALATION OF VAPORS.

7. Handling And Storage

Handling And Storage Precautions

STORE IN DRY AREAS AWAY FROM HEAT OR OPEN FLAME.

MATERIAL SAFETY DATA SHEET

EverWhite 932 Epoxy - Part B

7. Handling And Storage - Continued

Work/Hygienic Practices

PRACTICE CAUTION AND PERSONAL CLEANLINESS TO AVOID SKIN AND EYE CONTACT. AVOID BREATHING VAPORS OF HEATED PRODUCT.

8. Exposure Controls/Personal Protection

Engineering Controls

USE IN WELL VENTILATED AREAS.

Eye/Face Protection

WEAR SAFETY GLASSES WITH SIDE SHIELDS. IN EMERGENCY SITUATIONS, USE EYE GOGGLES WITH A FULL FACE SHIELD.

Skin Protection

WEAR CHEMICAL RESISTANT, PLASTIC OR RUBBER GLOVES.

Respiratory Protection

NONE REQUIRED UNDER NORMAL CONDITIONS. IF NEEDED, WEAR ORGANIC CHEMICAL CARTRIDGE RESPIRATOR.

Other/General Protection

WEAR APPROPRIATE CLOTHING TO PREVENT THE POSSIBILITY OF SKIN OR EYE CONTACT.

Ingredient(s) - Exposure Limits

SILICA, AMORPHOUS

ACGIH TLV-TWA 10 mg/m³

OSHA PEL-TWA 20 mppcf

OSHA PEL-TWA 80 / %SiO₂ mg/m³

OEHHA REL 3 micrograms/m³

WEAR APPROPRIATE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

9. Physical And Chemical Properties

Appearance

YELLOW LIQUID.

Odor

FAINT

Chemical Type: Mixture

Physical State: Liquid

Boiling Point: >400 °F >200 °C

Specific Gravity: 1.12

Vapor Pressure: <1 mm Hg @ 20C

Vapor Density: N/E

pH Factor: NEUTRAL

Solubility: SLIGHTLY SOLUBLE IN WATER.

Evaporation Rate: N/E

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR.

Incompatible Materials

ALKALIS, MINERAL AND ORGANIC ACIDS, OXIDIZING AGENTS.

MATERIAL SAFETY DATA SHEET

EverWhite 932 Epoxy - Part B

10. Stability And Reactivity - Continued

Hazardous Decomposition Products

CARBON MONOXIDE, CARBON DIOXIDE, NOTROGEN OXIDES, AMMONIA, NITRIC ACID.

11. Toxicological Information

Skin Effects

DERMAL LD 50 = 2000 MG /KG (RABBIT)

Acute Oral Effects

ORAL LD50 = 3.2 G /KG RAT

Chronic/Carcinogenicity

CONTAINS AMORPHOUS SILICAS WHICH IS LISTED IN IARC MONOGRAPHS.

Ingredient(s) - Carcinogenicity

SILICA, AMORPHOUS

Listed In The IARC Monographs

12. Ecological Information

No Data Available...

13. Disposal Considerations

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

RCRA Information

NOT A HAZARDOUS WASTE UNDER RCRA (40 CFR 261).

14. Transport Information

No Data Available...

15. Regulatory Information

U.S. Regulatory Information

State Regulations

Ingredient(s) - State Regulations

EPOXY RESIN

California - Proposition 65

SILICA, AMORPHOUS

New Jersey - Workplace Hazard

Pennsylvania - Workplace Hazard

Massachusetts - Hazardous Substance

16. Other Information

HMIS Rating

Health: 2

Fire: 1

Reactivity: 0

Personal Protection: G

MATERIAL SAFETY DATA SHEET

EverWhite 932 Epoxy - Part B

16. Other Information - Continued

HMIS Rating - Continued

Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (323) 582-0846

This MSDS Supersedes A Previous MSDS Dated: 03/29/2006

Revision Summary

Product And Company Identification (03/29/2006)
Composition/Information On Ingredients (03/29/2006)
Hazards Identification (03/29/2006)
First Aid Measures (03/29/2006)
Fire Fighting Measures (03/29/2006)
Accidental Release Measures (03/29/2006)
Handling And Storage (03/29/2006)
Exposure Controls/Personal Protection (11/21/2003)
Physical And Chemical Properties (03/29/2006)
Stability And Reactivity (03/29/2006)
Toxicological Information (03/29/2006)
Disposal Considerations (11/12/2003)
Transport Information (03/29/2006)
Regulatory Information (03/29/2006)
Other Information (03/29/2006)

Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

C-CURE

Printed Using MSDS Generator™ 2000