

MATERIAL SAFETY DATA SHEET

Wall Mud 952

HMIS	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	E

1. Product And Company Identification	
<p>Supplier C-CURE 13001 SEAL BEACH BLVD. SEAL BEACH, CA 90740 USA</p> <p>Company Contact: GEORGE MARCINA Telephone Number: 562 968 2980 Ext 103 FAX Number: 562 903 2697 E-Mail: georgem@cbpmail.net Web Site: WWW.C-CURE.COM</p>	<p>Manufacturer C-CURE 13001 SEAL BEACH BLVD. SEAL BEACH, CA 90740 USA</p> <p>Company Contact: GEORGE MARCINA Telephone Number: 562 968 2980 Ext 103 FAX Number: 562 903 2697 E-Mail: georgem@cbpmail.net Web Site: WWW.C-CURE.COM</p>
<p>Supplier Emergency Contacts & Phone Number GEORGE MARCINA: 562 968 2980 Ext 103</p>	<p>Manufacturer Emergency Contacts & Phone Number GEORGE MARCINA: 562 968 2980 Ext 103</p>

Issue Date: 09/21/2007

Product Name: Wall Mud 952
Chemical Name: Mortars
CAS Number: Not Established
Chemical Family: Mixture
Chemical Formula: Mixture
MSDS Number: 775
Product Code: 8405

2. Composition/Information On Ingredients			
Ingredient Name	CAS Number		Percent Of Total Weight
Lime	1305-62-0		10 - 20
CalciumMetasilicate	12983-17-0		1 - 5
Volcanic Glass	93763-70-3		10 - 20
PortlandCement	65997-15-1		25 - 35
SILICA, Quartz, Crystalline	14808-60-7		35 - 45

3. Hazards Identification
<p>Primary Routes(s) Of Entry Inhalation, Skin Contact, Eye Contact, Ingestion</p> <p>Eye Hazards Irritant, severe eye irritation. May cause eye injury. Effects may be delayed.</p> <p>Skin Hazards Contains Portland cement and exposure to dry Portland cement may cause drying of skin with consequent mild irritation. Prolonged contact with wet Portland cement may cause severe, potentially irreversible damage to the skin in the</p>

MATERIAL SAFETY DATA SHEET

Wall Mud 952

3. Hazards Identification - Continued

Skin Hazards - Continued

form of chemical (caustic) burns.

Ingestion Hazards

Ingestion is not known to be harmful, however the product contains Portland cement which is caustic to mucus tissue and should not be consumed.

Inhalation Hazards

Causes respiratory tract irritation. May cause nose, throat, and lung irritation. May cause delayed lung injury.

Chronic/Carcinogenicity Effects

Contains Silica sand, known Human Carcinogen (Category 1)

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

Ingestion

DO NOT INDUCE VOMITING. If victim is fully conscious, give one or two cups of water or milk to drink. Get medical attention immediately.

Inhalation

If inhaled, remove to fresh air. Consult a physician immediately if irritation persists. Do not give an unconscious person anything to drink.

5. Fire Fighting Measures

Flash Point: N/A °F

Flash Point Method: N/A

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

6. Accidental Release Measures

Avoid generating dust. Sweep up and remove immediately. Use appropriate personal protective equipment (PPE). OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS REGARDING NOTIFICATIONS OF ACCIDENTAL RELEASES.

7. Handling And Storage

Handling And Storage Precautions

Use only with adequate ventilation.

Handling Precautions

Avoid creating dust. Avoid breathing dust. Avoid contact with skin and clothing. Avoid contact with eyes.

Storage Precautions

Keep dry until ready to use.

Work/Hygienic Practices

Use good personal hygiene. Wash thoroughly with soap and water after handling.

MATERIAL SAFETY DATA SHEET

Wall Mud 952

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate ventilation.

Eye/Face Protection

Safety glasses with side shields or goggles recommended.

Skin Protection

If hands or feet will be exposed, wear impervious gloves and/or boots.

Respiratory Protection

In case of inadequate ventilation and when exposed to dust above the recommended limits, wear a suitable NIOSH-approved respirator.

Ingredient(s) - Exposure Limits

Lime

ACGIH TLV-TWA 5 mg/m³

Calcium Metasilicate

TLV - 10 mg/m³, 8 hr TWA, total dust

Volcanic Glass

OSHA - 5mg/m³ - Respirable dust

ACGIH - 10 mg/m³ - Total dust

Portland Cement

OSHA - PEL - 5mg/m³

OSHA - PEL - TWA - 50mppcf

ACGIH - TLV - 10mg/m³

SILICA, Quartz, Crystalline

ACGIH TLV-TWA 0.05 mg/m³

OSHA PEL-TWA 30/%SiO₂+2mg/m³

OSHA PEL - TWA 10/% SiO₂ +2 mg/m³

OSHA PEL-TWA 250/%SiO+5 mppcf

Cal EPA - OEHHA - REL - 3 micrograms/m³

9. Physical And Chemical Properties

Appearance

Free flowing white or gray powder.

Chemical Type: Mixture

Physical State: Solid

Boiling Point: N/A °F

Specific Gravity: 2.7

Vapor Density: N/A

Solubility: SLIGHT

Evaporation Rate: N/A

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR.

Conditions To Avoid (Stability)

Avoid unintentional contact with water.

Incompatible Materials

Contains Portland cement which, when wet, is highly alkali. As a result, it is incompatible with acids, ammonium salts, aluminum and other alkali and alkaline earth metals.

MATERIAL SAFETY DATA SHEET

Wall Mud 952

11. Toxicological Information
Chronic/Carcinogenicity Contains Silica sand, known Human Carcinogen (Category 1)
Ingredient(s) - Carcinogenicity SILICA, Quartz, Crystalline NTP - Listed On The National Toxicology Program Listed In The IARC Monographs
12. Ecological Information
No Data Available...
13. Disposal Considerations
Dispose in accordance with applicable federal, state and local government regulations.
RCRA Information Not considered RCRA Hazardous Waste.
14. Transport Information
DOT Shipping Label NOT REGULATED
15. Regulatory Information
SARA Section 313 Notification This product does not contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.
Ingredient(s) - U.S. Regulatory Information SILICA, Quartz, Crystalline SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Chronic Health Hazard
State Regulations Cal EPA -Toxic Hot Spots - OEHHA - REL - 3 micrograms /m3
Ingredient(s) - State Regulations Lime New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance Volcanic Glass California - Proposition 65 Portland Cement New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard SILICA, Quartz, Crystalline New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard California - Proposition 65 Massachusetts - Hazardous Substance
16. Other Information
No Data Available...

MATERIAL SAFETY DATA SHEET

Wall Mud 952

16. Other Information - Continued

HMIS Rating

Health: 1

Fire: 0

Reactivity: 0

Personal Protection: E

Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (562) 968-2980 ext 103

This MSDS Supersedes A Previous MSDS Dated: 11/10/2006

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

C-CURE

Printed Using MSDS Generator™ 2000